New products for 2023



B Range booths, pods & telephone hoods Class "A" Acoustic Booths



ECO's new range of booths and pods are ideal for team meetings, briefings and interviews away from the sounds of the busy office environment.

Available in 3 grades of Class "A" acoustic sound absorption. NRC 1.1, NRC 2.6 & NRC 2.8.

All booths and pods by default deliver Class "A" sound absorption, there are five classes of sound absorption in the BS EN ISO 354:2003. Class "A" being the highest class, Class "E" is the lowest class.

Booths and pods are manufactured to your customers acoustic needs, and sizes are frequently altered to suit the installation area.





Kiosks & Hoods

Class "A" Sound Absorbing



Class "A" Sound absorbing telephone booths and hoods.

Both the floor standing & wall mounted versions are available with 2 front edge designs.

Style A has a continues angle from the top of the booth to bottom.

Style B has a bottom half cut away angle, the price remains the same whichever style you choose.

The internal shelf on the floor standing booth is covered in a white anti-bacterial vinyl as standard with other colours to order, and the standard depth of the shelf is 20cm other widths to order.

The internal shelf on the wall mounted hood is covered in a white anti-bacterial vinyl with other colours to order, and the standard depth of the shelf is 15cm other widths to order.




Floor standing phone booth





C Range Aluminium frame desk dividers





Aluminium frame desktop screens 4 heights available to suit your office environment, whether you are just dividing a work area or creating a more effective barrier against workplace distractions the new C range will have you covered.

Light enough for motorised sit stand desks but strong enough to be covered by an 8 year guarantee.

C range desk screens a beautiful new range of screens.

The double sided printed finish is a standard option at B band prices, printed using UV stable inks, all you need to do is just send your print ready artwork and we do the rest, minimum quantities may apply.




D Range Class "A" acoustic desk dividers



| Name: | D Range. |
|---|--|
| Properties: | Heavy weight acoustic construction. |
| Style: | Work hubs, study booths and shared workspaces. |
| Type: | Class "A" acoustic, SRL Ltd tested. |
| Designed for: | Reducing noise pollution in the workplace. |
| Aluminium: | Extruded using 6063 T5 tensile strength aluminium. |
| Aluminium colours: Aluminium finish: | Natural anodize by default, powder coat to order, black, l/grey, d/grey & white, M.O.R. Anodize coating natural finish. |
| Anodize quality: | Anodized to exterior finish thickness 13 -15 microns. |
| Bespoke sizes: | Special sizes POA. |
| Clamp brackets: Core: | DT range of 8 clamps with DT2 light grey supplied by default. P2 particle board and MDF, 97% recyclable material & environmentally sustainable. |
| ECO content: | An average of 91% of the screens content is recyclable. |
| Fabrics: | Stock fabric Elfin, all Camira fabrics available to order. |
| Flammability: | BS 476, Part 7, Class 1 or BS5852 Class 0, 1, or BS 7176:2007 Depending on the fabric, environment and substrate. |
| Foam: | Combustion Modified to comply with Schedule 1 Part 1 of the Furniture & Furnishings (Fire Safety) Regulations S.I. 1324 1989. |
| Guarantee: | 8 year guarantee against fair wear and tear. |
| Height allowance: | 8mm less than stated to allow for clamp thickness, the height tolerance is plus or minus 0.5%. |
| Height: | The screen height is measured from the corner brackets. |
| Heights: | 40cm, 50cm, 60cm & 70cm. |
| Linking system: | Hidden joining strip allows 2 way, 3 way, 4 way linking, included. |
| Packing: | Packed with cardboard corners and heavy polythene wrap. |
| Thickness: | An overall thickness is 40mm. |
| Width allowance: | The width tolerance is plus or minus 0.5%. |


80cm, 100cm, 120cm, 140cm, 160cm, 180cm & 200cm.



Widths:



D Range Class "A" acoustic desk & floor dividers



D Range Mobile boards

Mobile drywipe

- 1 Mobile frame colour natural anodised finish.
- 2 Mobiles are linking and come with a link strip.
- 3 All screens are supplied with two locking and two non locking castors.
- 4 The drywipe area is on both sides and half the height of the mobile.
- 5 The mobiles height is inclusive of the castor feet.
- 6 D range mobiles link together at 90 Degrees.





Mobile pinboard

- 1 Mobile frame colour natural anodised finish.
- 2 Mobiles are linking and come with a link strip.
- 3 All screens are supplied with two locking and two non locking castors.
- 4 The pinnable area is on both sides of the mobile.
- 5 The mobiles height is inclusive of the castor feet.
- 6 D range mobiles link together at 90 Degrees

Mobile screen

- 1 Mobile frame colour natural anodised finish.
- 2 Mobiles are linking and come with a link strip.
- 3 All screens are supplied with two locking and two non locking castors.
- 4 The mobiles height is inclusive of the castor feet.
- 5 D range mobiles link together at 90 Degrees




Sasher desk divider screens







HEC 8cm round corners




- 1 Soft lines with fabric edges.
- 2 Build work cubicles and team workspaces.
- 3 Height reduced by 8mm allowing for clamp.
- 4 Screen thickness 25mm.
- 5 Foam is Combustion Modified to Schedule 1 Part1 Fire Safety Regulations S.I. 1324 1989.
- 6 Non linking desk divider panels.
- 7 HEO come with 3cm rounded corners
- 8 HES have a drop down 20cm
- 9 HEC come with 8cm rounded corners
- 10 Available to order, pinnable both side.
- 11 Two tone fabric, available to order.



Next Day Despatch

Stock screens for immediate despatch by carrier.





ND screens are a guaranteed stock product in 3 fabric colours, Black, Light Grey & Royal Blue, orders placed up to 4pm will be despatched the next day on a 24 hour carrier service.

ND screens come with a set of DT clamps, STDN stabilising feet or a set of ALF height adjustable feet depending on the product chosen.

Stabilising feet are supplied with NDFS non-linking screens, if you require stabilising feet with your NDLK linking screen you will need to order replacement feet.

